

Qingdao Quanmu Technology Co.,Ltd.

Add: Chengyang District, Qingdao City, China

Tel: +86 18554869406

Website: www.pigfarmequipment.com www.livestockequipments.com

E-mail: info@livestockequipments.com



QINGDAO QUANMU TRADE CO.,LTD

Qingdao Quanmu Technology Co.,Ltd.

Qingdao China

Qingdao Quanmu Technology Co.,Ltd.





Globally Advanced Pig Farm Equipment Provider
----- Professional, Integrity & Technology

Qingdao Quanmu Techonology Co.,Ltd.is one professional pig and livestock equipment supplier, which located in Qingdao city, China. The company office and factory covering an area of 33000m².


Qingdao Quanmu provides integrated service for clients including consultation, farm design, pig raising equipment, consumable items, products quality control, equipment delivery, training,supervision installation & commissioning. The main system includes penning system, automatic feed conveying system,feeder & drinker, slat flooring, environmental control system, manure removing system, swine AI instrument, veterinary instrument and others.

As years growing and professional services to clients, Qingdao Quanmu get rich of active feedback from market, that the equipment take animal welfare and profitability of farm, and help customers get success.





- 1.CNC welder machine
- 2.shearing machine
- 3.double heads automatic pipe bending machine
- 4.full automatic laser cutting machine






- ①
- ②
- ③

- 1、Injection Molding
- 2、drilling equipment
- 3、CNC injection molding

ADVANCED



THREE-DIMENSIONAL

THREE-DIMENSIONAL STORAGE



Pig farm automatic feeding system

Name: automatic feeding system

Configuration: driving device, silo, conveying pipe, 90degree corner and sensor, auto dispenser device, feed dropping device with switch, feed drop pipe, metering cylinder, disc-chain, control part.

Products Features:

- 1, Design feeding line according to pig farm' s requested.
- 2, 90degree corner could make sure feeding conveying smoothly.
- 3, Include adjusting device in drive control box, adjust conveying tensity automatically.
- 4, The driving wheel connecting with motor directly in order to reduce friction when use belt.
- 5, Start feeding with fixed time and quantity, it is feed saving and avoid swine' s stress reaction.
- 6, Make feed individual and reduce disease spreading.
- 7, No feed lacking if workers neglect feeding.
- 8, It is labor saving and increase efficiency.

Product Parameter


Main driving device: stainless steel shell, corrosion resistance, install in-door and out-door are both available.

High quality of drive motor with auto tensity adjusting device, imported and made in China are both available.

Gear motor: cycloid pin gear, worm gear and wheel gear are both available.

Chain wheel material is fiberglass nylon, can reduce friction and noise.

Imported capacitance component with high quality.



Product Parameter

Feed pipe: material of conveying pipe is galvanized, outer diameter is 60mm, thickness is 1.5mm.

Chain: the chain is solid carburizing coating with high strengthen, abrasion resistance, high bending strength, enhanced service life.

Disc part: material is imported fiberglass nylon with single die casting, high frication resistance. The disc diameter is45mm with big conveying capacity.




Control box



Feed sensor

Main part:

- 1, Main driving device
- 2, Feed silo
- 3, Feed conveying pipe
- 4, 90° corner
- 5, Feed sensor
- 6, Auto dispenser device
- 7, Feed dropping device with switch
- 8, Metering cylinder
- 9, Driving motor
- 10,Control device





90°corner

Corner shell: material is imported polycarbonate with single die casting, has high shock resistance, electric insulation, good performance on temperature resistance.
Inner part: material is fiberglass nylon from Japan with single die casting. Greatly reduce fricative broken. Double sealing bearing, and reduce noise 40% compare to others.
Hardware: material is stainless steel with great corrosion resistance.

Corner shell

Corner shell: material is 304 stainless steel with single die casting, great impact and wear resistance, strong resistance of high and low temperature.
Inner corner: material is nodular cast iron with single die casting, one roll testing, double sealing bearing, can reduce 60% of noise compare to others.
Hardware: material is stainless steel with great corrosion resistance.



Corner shell

Corner shell: material is 304 stainless steel with single die casting, great impact and wear resistance, strong resistance of high and low temperature.
Inner corner: material is nodular cast iron with single die casting, one roll testing, double sealing bearing, can reduce 60% of noise compare to others.
Hardware: material is stainless steel with great corrosion resistance.

Metering cylinder

Feature: material is polycarbonate imported from USA with extrusion blow molding, greatly shocking resistance, great stability of shape, colorless and transparent, anti-corrosion, high resistance of high and low temperature, precise scale.
Patent No.: ZL2012 2 0416535.3



Automatic auger feeding system

Use auger as conveying for pig farm, with high quality spiral.
Feed can convey to farm through bending tube, more safe, efficiency and without powdering.
Apply for all kinds of farm house.
High conveying capacity.
Installation is convenient.
Driving part can be belt motor or wheel gear motor.



American type farrowing crate

Product parameters

Name: American farrowing crate

Material: GB welded pipe

Size: 2400x 3600x 1100mm/Customized size

Feature:

1. Hot-dip galvanized with excellent performance on anti-corrosion
2. PVC fender can offer a relatively closed environment, avoiding any wind influence on the piglet, and the 50cm height of PVC board could keep ventilation.
3. The crate is made by the advanced technology, it could be opened, adjustable, pressure-resistant, and with hot-dip galvanized for both inside and outside.
4. Cast iron slat for sow, no harm to sows nipple, and plastic slat for un-weaning piglet to keep warm condition, and dung drop to pit with less contamination.



High quality welding and polishing



Sows crate width multi-position adjustable



Anchor with cover plate design



Qingdao Quanmu Technology Co.,Ltd.

www.livestockequipments.com

Double open type gestation crate

Product parameters

Name: Double open type gestation crate

Material: GB welded pipe/powder coating

Size: 2100x 600x 1000mm/2200x600x1100mm

Feature:

1. Avoiding abortion during pregnancy of gestation sows.
2. The rear door is double open type, it is more convenient for artificial insemination and abortion operation.
3. The sow crates size can be customized.


Hot-dip galvanized



Double open type



Adjustable anchor



Qingdao Quanmu Technology Co.,Ltd.

www.livestockequipments.com

Artificial Insemination



There are 205 items

such as the instrument for semen examination, attenuation, transportation, mating and so on.

Artificial Insemination



Artificial insemination catheter with foam tip

Product parameters

Name: Artificial insemination catheter with foam tip

Material: Non-toxic and high-elastic foaming material with medical level plastic particle

Color: Green

Size: 50cm

Weight: 8g/pc

Package: 1000pc/bag

Specification: Gilt / Multiparous sow



Artificial insemination catheter with foam tip + closing cap

Product parameters

Name: Artificial insemination catheter with foam tip + closing cap

Material: Non-toxic and high-elastic foaming material with medical level plastic particle

Color: Yellow

Size: 52.5cm

Weight: 11g/pc

Package: 1000pc/box

Specification: Gilt / Multiparous sow



Artificial insemination catheter with spiral tip

Product parameters

Name: Artificial insemination catheter with spiral tip


Material: Non-toxic and high-elastic material with medical level plastic particle

Color: Blue

Size: 53cm

Weight: 13g/pc

Package: 500pc/box



Intrauterine artificial insemination catheter

Product parameters

Name: Intrauterine artificial insemination catheter

Material: Non-toxic and high-elastic foaming material with medical level plastic particle

Color: Green

Size: 75cm

Weight: 13g

Package: 1000pcs/box 800pcs/box

Specification: Gilt / Multiparous sow

Artificial Insemination




Artificial Insemination

Artificial Insemination



Super artificial insemination catheter with foam tip

Product parameters
Name : Super artificial insemination catheter with foam tip
Material: Non-toxic and high-elastic foaming material with medical level plastic
Color : Blue
Size: 50.5cm
Weight : 7g/pc
Package : 1000pcs/box
Specification: Gilt / Multiparous sow



Intrauterine artificial insemination catheter with soft tip

Product parameters
Name : Intrauterine artificial insemination catheter with soft tip
Material: Non-toxic and high-elastic foaming material with medical level plastic
Color : Blue
Size: 76.5cm
Weight : 14g/pc
Package : 500pcs/box
Specification: Gilt / Multiparous sow



Artificial insemination connection catheter

Product parameters
Name : Artificial insemination connection catheter
Material: ABS and PVC
Size: 46.5cm
Weight : 11g/pc
Package : 5pcs/bag
Color: Yellow / Red

Artificial Insemination



Disposable semen bottle for pig artificial insemination

Product parameters
Name: Disposable semen bottle
Material : Medical level polyethylene
Color : Optional
Package : 500pcs/box
Specification : 40ml/60ml/80ml/100ml



Super disposable semen bottle for pig artificial insemination

Product parameters
Name: Super disposable semen bottle
Specification: 40ml/60ml/80ml/100ml
Material : Medical level polyethylene
Color : Optional
Package : 1000pcs/box (40ml/60ml) 500pcs/box (80ml/100ml)



Pig auxiliary back clamp apply on Pig AI

Product parameters
Name : Pig auxiliary back clamp
Material: Engineering PP
Clamp size : 16.5*18.5cm
Supporter size : 54.5cm
Weight : 500g
Package : 500pcs/box



Pig auxiliary back clamp apply on Pig AI (Plastic Type)

Product parameters
Name: Pig auxiliary back clamp
Color: Green
Material: PE
Clamp size: 36*29cm
Supporter: 46.5cm
Weight: 330g/pc

Artificial Insemination

**Disposable pig A.I. semen collection bag**

Product parameters
 Name : Disposable semen collection bag
 Capacity : 100ml
 Size: 20.3cm(length) * 9.9cm(width)
 Thickness: 0.20mm
 Material: Medical Plastic
 Package: 50pcs/bag

**Colorful disposable pig A.I. semen collection bag**

Products parameters
 Name Colorful disposable semen collection bag
 Capacity : 100ml
 Size 20.3cm(length)* 9.8cm(width)
 Thickness: 0.22mm
 Material : Medical plastic
 Package : 50pcs/bag

**Semen filter paper for pig semen collection**

Product parameters
 Name : Semen filter paper
 Material : Medical level non-absorbent and non-woven
 Micropore size: 100 micron
 Specification: 20*20cm
 Package : 100pcs/bag

**Artificial insemination pig semen collection cup**

Product parameters
 Name: 650ml pig semen collection cup
 Material: Plastic shell and stainless steel interior
 Capacity: 650ml
 Color: Yellow/ red/ blue/green
 Lid size: 9.8*17cm (inner diameter is 9cm)
 Weight: 283g/pc
 Package: 24pcs/ bag
 Package Size: 44*34*36cm
 Weight: 8kg

Artificial Insemination

**Disposable PE gloves**

Product parameters
 Name: Disposable PE gloves
 Material:PE
 Color: Transparent
 Specification : free size
 Size: 28*14.5cm
 Package: 100pcs/box

**Disposable PVC gloves for semen collection**

Product parameters
 Name : Disposable PVC gloves for semen collection
 Material : Class A PVC material
 Color : Transparent
 Specification: super large size/ large size/medium size
 Package:100pcs/bag , 10bags/box
 Purpose: Semen collection and Surgery operation

**Disposable semen collection bag**

Product parameters
 Name: Disposable semen collection bag
 Package : 100pcs/bag , 100bags/box
 Purpose : Use together with semen collection cup and semen filter paper
 Capacity : 1L/2L

**Anti-slip mat for boar' s semen collection**

Product parameters
 Name: Semen collection mat
 Specification : Thick / Thin
 Size : 150*100*2.2cm / 152*91*1.2cm
 Material : Natural Rubber + Synthetic Rubber
 Net Weight: 15kgs / 8.5kgs
 Usage: Use together with dummy sow when collection boar' s semen

Artificial Insemination

**Canvas dummy sow**

Product parameters
 Name: Canvas dummy sow
 Material: foam interlayer + canvas surface + stainless steel supporter
 Color: Green
 Size: 80*85*50cm
 Weight: 29kg
 Feature: Special wheel design, can adjust the device height according to boar's height

**Rubber dummy sow**

Product parameters
 Name: Rubber dummy sow
 Material: Thickened steel board (4mm)+ Rubber
 Color: Black
 Size: 95*32.5*64cm (Length*width*height)
 Weight: 50kg

**Semen transfer window of AI laboratory**

Product parameter
 Name: Pig semen transfer window of AI laboratory
 Light tube: 8W ultraviolet sterilization tube
 Material: 201 stainless steel
 Outer Size: 400*400*400mm (width*depth*height)
 Inner Size: 280*340*320mm (width*depth*height)
 Power: 220V / 50HZ
 Weight: 25-35kg
 Other service: Customized service

**Electronic scale**

Product parameters
 Name: Electronic scale for semen weighing
 Weighing range: 0-3000g
 Min weight: 0.1g
 Product Size: 21.5(L)*16(W)*5.5(H)cm

Artificial Insemination

**Monocular microscope for semen analysis**

Product parameters
 Name: Monocular microscope
 Amplification :100x-1600x
 Objective: 10X, 40X, 100X
 Tube specification : Monocular 45 degree incline , 360 degree rotating
 Carrier : 120*110mm machinical platform

**Binocular microscope for semen analysis**

Product parameters
 Name: Binocular microscope
 Objective : 4X, 10X, 40X, 100X
 Eyepieces: 10X, 16X
 Amplification : 100X-1600X
 Tube specification : Binocular , 360 degree rotating
 Disrance : 55-75mm
 Carrier: 160*140mm machinical platform

**Digital microscope with LCD screen**

Product parameters
 Name: Digital microscope with LCD screen
 Objective: 4X, 10X, 40X
 Amplification : 40X-1600X
 Image : 2 million pixels CMOS
 LCD Size : 3.5' LCD display

**Digital microscope with video LCD screen**

Product parameters
 Name: Digital microscope with video LCD screen
 Objective: 4X, 10X, 20X
 Eyepiece : 10X
 Amplification : Max 800X / 200X (Multiple physical)
 Image : 3.8 million pixels
 LCD size: 7 inch LCD display.
 Gross Weight: 5.6kg
 Package : 31*21*49cm

Artificial Insemination

**Digital microscope heating plate**

Product parameters
 Name : Digital microscope heating plate
 Working plate size: 9.5*6*0.6cm (length*width*thickness)
 Box size: 14.5*11*6.5cm (length*width*height)
 Temperature difference: $\leq 0.5^{\circ}\text{C}$
 Weight :1250g

**Digital magnetic stirrer with hot plate**

Product parameters
 Name: Digital magnetic stirrer
 Speed: 0-2400r/m
 Temperature range: room temperature to $100 \pm 1^{\circ}\text{C}$
 Power:300W
 Capacity:1000ml
 Weight: 2.23kg
 Package:29*18*13cm



Artificial Insemination

Semen dilution agitator tank

Product parameters
 Name: Semen dilution agitator tank
 Specification:15L
 Temperature control mode: Micro-computer,in 35-100°C
 Temperature range: Room temp -100°C
 Heating means:by heating ring
 Power:2500W/H

**Digital thermostatic water bath**

Product parameters
 Name: Digital thermostatic water bath
 Operating size : 130*15*13.5cm / 30*30*13.5cm / 60*30*13.5cm
 Power: 500w/ 1000w/ 2000w
 Temp accuracy: $\pm 5^{\circ}\text{C}$
 Temp range: Room temp - 100°C
 Specification: 2 holes in a line / 4 holes in two lines /
 8holes in two lines

**Digital thermostatic water bath**

Product parameters
 Specification: 2 holes in a line
 Power: 800W
 Temp accuracy: $\pm 0.5^{\circ}\text{C}$
 Temp Range: Room temp to 99.9°C
 Package :46*24*25cm (length*width*height)



Artificial Insemination



Reverse Osmosis Ultra Pure Water purification machine

Product parameters

Name: Reverse Osmosis Ultra Pure Water purification machine
 Quality: accord with and superior the standard of lab(GB6682-92)
 drinking water first grade

Pressure: 0.2mpa-0.35mpa

Power: 220V/30-80W

Size: 54*35*96cm

Specification: Customized specifications



50L thermostatic 17degree refrigerator

Product parameters

Name: 50L thermostatic 17degree refrigerator

Specification:50L

Color Ivory white

Category: Single door, External temperature controller

Weight: 15.5kg

Usage: Store semen in constant temperature

Cooling type: Compression

Power : 0.35 KWH/ 24H

Voltage frequency: 220V/50HZ

Artificial Insemination

Manual pig semen bag filling machine

Product parameters

Name : Manual pig semen bag filling machine

Shift adjustment: 8 grades

Time for heating: 0.2-1.5 seconds

Package :410*76*225mm

The widest sealing length :8mm

Parts: Supporter 1set, semen cup 1piece, rubber hose 1piece,
 flow controller 1 piece, rubber hose connector 1piece,
 rubber hose for connecting semen bag 1 piece.



Full automatic pig semen filling machine

Product parameters

Name: Full automatic pig semen filling machine

Speed: 600-1000 bags/hour

Voltage:220V 50Hz

Function: automatic filling, automatic sealing, automatic
 cutting, automatic printing



Identity Management



There are 111 items

such as instrument for ear tag, painting, tattoo and so on

Identity Management



Veterinary large size marking crayon

Product parameters
Name: Veterinary large size marking crayon
Weight:76g/pc
Package: 12pcs/box
Purpose: make a temporary mark on livestock' s body
Color :red/green/blue



Veterinary small size marking crayon

Product parameters
Name: Veterinary small size marking crayon
Color: red/green/blue
Weight:58g/pc
Package: 24pcs/bag 18bags/box
Purpose: make a temporary mark on livestock' s body



Pig ID

Product parameters
Name: Pig ID
Material: Germany BASF TPU (linear polymeric materials)
Parts: Main label (female label) + vice label (male label)
Package: 100sets/box
Color: blue/orange/yellow/red



Ear tag

Product parameters
Name: Ear tag
Material: TPU
Parts: male mark+female mark
Weight:6.6g/pc
Package:100pcs/bag
Color:blue/orange/yellow



Piglet used ear tag

Product parameters
Name: Piglet used ear tag
Parts: male mark+female mark
Weight:3.1g
Color:yellow
Package:100pcs/bag



Ear tag plier

Product parameters
 Material: Aluminum+ engineering plastic
 Size:24*7.5*2cm(length*width*thickness)
 Net weight:317g
 Purpose: Applied for animal' s ear tag



ear tag forcep needle

Product parameters
 Name: ear tag forcep needle
 Material: Alloy
 Color: black
 Size: 3.4cm
 Weight:4g/pc



Sakura ear tag pen

Product parameters
 Name: Sakura ear tag pe
 Specification:small double header
 Size: length 13.8cm
 Weight: 9g
 Color: black
 Package: 12pcs/box
 Origin: Japan

Animal ear tag marker pen

Product parameters
 Name: Animal ear tag marker pen
 Color:black
 Size:14*1.5cm
 Weight:20g
 Package:10pcs/box



Pig ear hole plier

Product parameters
 Name: Pig ear hole plier
 Material: Aluminum Alloy
 Size:16.5*9.5cm(length*width)
 Bore diameter:0.9cm
 Weight:256g
 Purpose: Make hole on pig' s ear for identification



U/V shape ear hole plier

Product parameters
 Name: U/V shape ear hole plier
 Material:Stainless steel
 Weight:215g
 Purpose: Make U/V hole on pig' s ear for identification
 Specification: U / V shape



Pig ear hole plier

Product parameter
 Name: Ear hole plier
 Material:Aluminum alloy
 Size: 19.5cm (length)
 Bore diameter:0.8cm
 Weight:280g/pc
 Color:silver
 Parts: one set of ear hole needle as spare parts
 Package:100pcs/bag
 Package size:68*28*40cm






U/V ear hole plier

Product parameters
 Specification: U/V shape
 Material:Stainless steel
 Weight:210g
 Purpose: Make U/V hole on pig's ear for identification



Breeding sow record card

Product parameters
 Name: Breeding sow record card
 Material: high end PVC
 Size: 240*180*0.6mm/240*180*0.9mm
 Package: 50pcs/bundle, 25pcs/bundle
 Purpose: Breeding sow record
 Specification: thin/thick



Sow farrowing management card

Product parameters
 Name: Sow farrowing management card
 Material: superior quality PVC
 Size: length 21.5cm *width 21.5cm * thickness 0.7mm
 Weight: 58g/pc
 Package: 25pcs/bundle, 20bundles/box



Veterinary marking tapes

Product parameters
 Name: Veterinary marking tapes
 Material: TPU
 Style: first generation (single button), second generation (double buttons)
 Size: 360*30*3mm/370*30*3mm(length*width*thickness)
 Color: red/orange/yellow/green/blue
 Weight: 40g/pc, 50g/pc
 Package: 1000pcs/box



Animal tattoo marking forcep

Product parameters
 Name: Animal tattoo marking forcep
 Material: Alluminun alloy
 Weight:305g
 Parts: One set Number from 0-9, one bottle of black ink
 Specification: four figures/five figures



Pig Veterinary tattooing numbers

Product parameters
 Name: Pig Veterinary tattooing numbers
 Material: 304 stainless steel + plastic
 Size: 1*1.9cm
 Weight: 25g/set



Pig Veterinary tattooing alphabets

Product parameters
 Name: Pig Veterinary tattooing alphabets
 Specification: A-Z
 Material: 304 stainless steel + plastic
 Size: 1*1.9cm
 Weight: 55g/set

Veterinary Control



There are 251 items
such as syringe, needle, scalpel, scissor and so on

Veterinary Control

10ml metal syringe



Product parameters
Name: metal syringe
Material: Brass with chrome plated, glass
Specification:10ml
Weight:168g

20ml metal syringe



Product parameters
Name: metal syringe
Material: Brass with chrome plated, glass
Specification:20ml
Weight:211g

30ml metal syringe



Product parameters
Name: metal syringe
Material: Brass with chrome plated, glass
Specification:30ml
Weight:246g

50ml metal syringe



Product parameters
Name: metal syringe
Material: Brass with chrome plated, glass
Specification:50ml
Weight:336g

10ml TPX syringe



Product parameters
 Name: TPX syringe
 Material: TPX, stainless steel, brass coated chrome
 Specification: 10ml
 Parts: gasket
 Weight: 65g

20ml TPX syringe



Product parameters
 Name: TPX syringe
 Material: TPX, stainless steel, brass coated chrome
 Specification: 20ml
 Parts: gasket
 Weight: 78g

30ml TPX syringe




Product parameters
 Name: Domestic TPX syringe 30ml
 Material: TPX body, TPX handle, stainless steel inside bar, brass coated chrome base
 Weight: 65g
 Parts: cushion
 Specification: 10ml

50ml TPX syringe



Product parameters
 Name: Domestic TPX syringe 30ml
 Material: TPX body, TPX handle, stainless steel inside bar, brass coated chrome base
 Weight: 78g
 Parts: cushion
 Specification: 20ml



Automatic continuous metal syringe



Product parameters
 Name: Automatic continuous metal syringe
 Scale: 1-5ml
 Weight: 870g
 Size: 24.5*19*4cm
 Part: Gaskets 2pcs, glass tube 1pc, syringe needle 12pcs/bag

Automatic plastic-steel gun syringe



Product parameters
 Name: Automatic plastic-steel gun syringe
 Material: TPX, aluminum, brass with chrome coated
 Specification: 50ml
 Scale: 1-5ml
 Parts: Gasket, metal needle bed

Automatic continuous metal syringe with bottle




Product parameters
 Name: Automatic continuous metal syringe with bottle
 Material: Brass with chrome plated
 Specification: 2ml
 Range: 0.1-2ml
 Parts: Bottle, sealing ring, rubber hose, bottle needle



Veterinary syringe needle

Product parameter
 Name: Veterinary syringe needle
 Material: 304stainless steel
 Package: 12pcs/bag 12bags/box
 Specification: 0.9*10mm
 0.9*13mm
 1.2*15mm
 1.2*20mm
 1.2*25mm
 1.2*38mm
 1.2*40mm
 1.4*20mm
 1.4*25mm
 1.4*38mm
 1.6*25mm
 1.6*30mm
 1.6*38mm
 1.6*40mm
 1.6*50mm
 2.0*50mm



Period (mm)	Diameter	Needle Length
Un-weaning	0.9-1.2	10-25
Nursery	1.2-1.4	25
Fatten	1.4-1.6	25-40
Sow and boar	1.6	30-40



12L Vaccine carrying case

Product parameters
 Name: 12L Vaccine carrying case
 Specification: 12L
 Color: Blue
 Overall size: 37*22*26cm
 Inner size: 33*17.5*21cm
 Weight: 2.23kgs
 Parts: 4 pcs of ice boxes, 1 pc braces, 1 pc clapboard



Vaccine carrying case

Product parameters
 Name: Vaccine carrying case
 Specification: 6L
 Overall size: 32*23.5*26cm
 Inner size: 23.5*14*19.5cm
 Weight: 2.16kgs



Veterinary uterus cleaning instrument

Product parameters
 Name: Veterinary uterus cleaning instrument
 Patent No. 200920203883.3
 Tension: 90N(9kgs)
 Package: diameter 15cm * height 22cm
 Weight: 350g
 Purpose: cleaning inside and outside vagina, cleaning for obstetric disease prevention used on dam pig, cattle, sheep, horse and so on



Veterinary balling gun

Product parameters
 Name: Veterinary balling gun
 Size: 52cm
 Color: Yellow
 Material: medical appliance grade plastic particle
 Package: 100pcs/bag
 Usage: deliver anti-inflammatory drug into pigs uterus

Breeding Apparatus



There are 324 items

such as instrument for cutting piglets teeth, amputation of tail, drinker, trough, porridge feeder and so on

Breeding Apparatus



Aluminum alloy feed scoop

Product parameters
Name: Aluminum alloy feed scoop
Color: Silver
Size: 24*19*10cm with 10.7cm handle
22*15*8cm with 10.1cm handle



Aluminum alloy feed scoop

Product parameters
Name: Aluminum alloy feed scoop
Specification: Large
Size: 26*14*9cm with 12.5cm handle and thickness 2cm
Material: aluminum alloy
Weight: 0.5kg/pc
Max feed capacity: 2kgs



Pig water drinker with fun

- 1, Height can be adjusted according to piglets' growth.
- 2, Easily installation.
- 3, Can get fresh water at any time.
- 4, Hanging with less water waste during drinking.
- 5, Model of drinker can be customized and hanging chain length is 2m.



Breeding Apparatus



Pig nipple drinker (triangle type)

Product parameters
Name: Pig nipple drinker
Material: Cold heading steel
Color: Silver
Size: 8.3*1.8cm
Weight:85g
Package: 5pcs/bag
Specification: Marble type



Pig nipple drinker (straw type)

Product parameters
Material: Cold heading steel
Size: 8m (length)
Connector size: 1/2 inch
Weight: 110g/pc
Package: 2pcs/bag
Larger flow and stable, especially for summer and hot area



Pig nipple drinker (nipple type)

Product parameters
Name: Pig nipple drinker
Material: Cold heading steel
Color: Silver
Specification: Copper end / Thickened steel end / Plastic end
Size:6.1*1.8cm/ 6.2*1.8cm/ 7*1.8cm
Weight:80.5g/ 83.7g/ 85.3g
Package: 5pcs/bag



Piglets nipple drinker (duck-billed type)

Product parameters
Material : Cold heading steel
Specification: Copper end / Thickened steel end / Plastic end
Size: 5.2*1.8cm/ 5.1*1.8cm/ 6*1.8cm
Weight:52g/51g/51g
Package : 5pcs/bag

Breeding Apparatus



Pig nipple drinker (duck-billed type)

Product parameters
Name : Pig nipple drinker
Material: Cold heading steel
Color: Silver
Model: Copper end / Thickened steel end / Plastic end
Size:6.4*1.8cm/ 6.9*1.8cm/ 7.5*1.8cm
Weight: 77.2g/89.3g/76.6g
Package: 5pcs/bag



Galvanized duck-billed drinker

Product parameters
Name: Galvanized duck-billed drinker
Material:Galvanized
Product size: 6.7cm
Connector size: quarter thread
Weight:85g/pc, 435g/board
Specification: copper cover/plastic cover



Chroming duck-billed drinker

Product parameters
Name: Chroming duck-billed drinker
Material: Chroming
Product size: 6.7cm
Connector size: quarter thread
Weight:85g/pc,420g/board
Specification: copper cover/plastic cover



Hot thermostat water drinker

Product parameters
Name: Pig water drinker
Material: Iron painted
Size: 1.3m length
Input connector size: 1/2 inch
Output connector size: 1/2 inch, two pieces
Power: 600W
Voltage: 220V/50HZ
Weight: 4.5kgs/pc
Package: 1pc/bag

Breeding Apparatus



Stainless steel pig water bowl (round type)

Product parameters
Name: Stainless steel pig water bowl
Material: 304 stainless steel
Color: Silver
Size (diameter): 21cm/ 17cm/ 15cm/ 13cm
Weight: 0.8kg/ 0.5kg/ 0.4kg/ 0.3kg
Package: 20pcs/box; 40pcs/box; 60pcs/box; 70pcs/box



Stainless steel pig water bowl (square type)

Product parameters
Name: Stainless steel pig water bowl
Material: 304 stainless steel
Color: Silver
Size: 29*21*16cm/ 27*18*11cm/ 21*15*10cm
Package: 20pcs/ box; 20pcs/box / 30pcs/box



Breeding Apparatus



Decontamination divided box

Product parameters
Name: Decontamination divided box
Material: 100% new high strength polystyrene
Product size: outer diameter 19.2cm, inner diameter 18.2cm, water inlet diameter 4.5cm, water outlet diameter 5cm, height 14cm
Color: white



Water level regulator

Product parameters
Name: Water level regulator
Size: prong snap button
Product size: diameter 18cm*height 21cm
Color: yellow
Weight: 317g
Package: 50pcs/carton



Vertical pipe

Product parameters
Name: Vertical pipe
Material: 201 stainless steel
Size: length 1m/1.2m
Connector size: quarter thread
Material and length can be customized



Stainless steel water-containing plate

Product parameters
Name: Stainless steel water-containing plate
(fit for water level controller)
Material: 201 stainless steel/304 stainless steel
Specification: square pallet S size/ square pallet L size/ semi-circle plate/splayed plate
Package: 20pcs/carton, 40pcs/carton
Size and specification can be customized



Stainless steel water pan

Product parameters
Name: Stainless steel water pan (fit for water monitor)
Material: 201 stainless steel/304 stainless steel
Specification: round pan in size S/ round pan in size L/ semicircle/ B shape pan
Package: 20pcs/box, 40pcs/box

Breeding Apparatus



Pig sorting panel

Product parameters
Name: Pig sorting panel
Material: Engineering plastic
Size: 121.5*78*3.5cm / 97.5*78*3.5cm / 76*48*3cm
Weight: 6kgs / 4kgs / 2.1kgs
Purpose: Pig flock herding
Specification: Large/medium/small



Plastic pig sorting paddle

Product parameters
Name: Plastic pig sorting paddle
Material: High quality and thickened plastic
Weight: 225g
Specification: 50cm (paddle size: 4.5cm width*25cm length)
Package: 50pcs/box



Plastic pig sorting paddle (long handle)

Product parameters
Name: Pig sorting paddle
Size: 31.5*5.5cm with 70cm handle
Weight: 430g
Specification: Steel handle



Stainless steel harness for pig

Product parameters
Name: Stainless steel harness for pig
Material: stainless steel tube + plastic handle + stainless steel wire
Stainless steel wire length: 73cm
Stainless steel wire thickness: 0.6cm
Weight: 530g
Size: length 23.5cm
Purpose: Hold the pig for the cure and diagnose
Origin: Pakistan

Breeding Apparatus



Steel wire harness for pig

Product parameters
Name: Steel wire harness for pig
Material: steel wire
Length: about 90cm
Thickness: 0.5cm
Weight: 125g
Package: 100pcs/carton



Steel wire harness for pig

Product parameters
Name: Steel wire harness for pig
Material: stainless tube + steel wire
Steel wire length: about 75cm
Thickness: 0.5cm
Weight: 280g
Purpose: Hold the pig for the cure and diagnose



Piglets supplement feeder

Product parameters
Material: 201 stainless steel
Color: Silver
Size: 28(D)*23(H)cm / 25(D)*20(H)cm
Weight: 1.05kgs / 0.75kgs
Purpose: For un-weaning piglets' feed supplement



Plastic piglets supplement feeder trough

Product parameters
Name: Plastic piglets supplement feeder trough
Material: Top-level engineering plastic
Color: Blue/ orange
Size: 25(L)*20(W)*38(H)cm
Purpose: For un-weaning piglets' feed supplement

Breeding Apparatus



Umbilical cord clip

Product parameters
Name: Umbilical cord clip
Size: total length 6.3cm
Material: polyethylene
Color: blue
Weight: 2.5g/pc
Package: 100pcs/bag, 14bags/carton



Stainless steel Cutting pliers

Product parameters
Name: Stainless steel Cutting pliers
Material: 304 stainless steel
Specification: 13cm
Weight: 125g/pc



Stainless steel Cutting pliers (hardcover)

Product parameters
Name: Stainless steel Cutting pliers (hardcover)
Material:stainless steel
Specification: 14cm
Weight: 135g/pc
Package: 100pcs/box, 200pcs/carton



Stainless steel Cutting pliers (convenience package)

Product parameters
Name: Stainless steel Cutting pliers (convenience package)
Material:stainless steel
Specification: 14cm
Weight: 120g/pc
Package: 240pcs/carton



Stainless steel Cutting pliers with rubber handle

Product parameters
Name: Stainless steel Cutting pliers with rubber handle
Material:stainless steel
Specification: 13.5cm
Weight: 96g/pc

Breeding Apparatus



Electric teethers

Product Parameter
Name: Electric teethers
Material: Adamas
Product Power: 130W 220V, 50HZ / 60HZ
G.W.: 920g
Packing size: 27*16*6.5cm



Lithium battery teethers

Product parameters
Name: Lithium battery teethers
Grinding head material: diamond
Power:12V 1300mAh
Speed: 5 gears range
Weight: about 0.7kgs(with package)
Size: 24*18*7cm



Pneumatic tail trimmer

Product parameters
Name: Pneumatic tail trimmer
Configuration: one bottle of 300ml butane
Weight: 0.49kgs
Size: length 23.5cm
Weight: 2.16kgs(with package)
Size: 31*14*7cm



Anthony pig constant temperature porridge fodder feeder

Product parameters
 Name: Anthony pig constant temperature porridge fodder feeder
 Material: PC ABS
 Product size: 7.5cm (crib height), 34.5cm (total height)
 Volume: 3.5L
 Power:16W
 Package: 2 sets/pc
 Package size: 41*23*34cm
 Weight: 4kgs/pc

36°Cconstant temperature, can replenish milk,water, medicine, liquid porridge, ensure the feeding temperature and breast nursing temperature to be same, and not be easy to ill for anthony pig



Stainless steel sow trough S size

Product parameters
 Name: Stainless steel sow trough S size
 Specification: S size
 Material: 304 Stainless steel
 Size: 420*350*230mm
 Weight:2.7kgs
 Package: 10pcs/carton




Stainless steel sow trough L size

Product parameters
 Name: Stainless steel sow trough L size
 Specification: L size
 Material: 304 Stainless steel
 Size: 480*390*250mm
 Weight:3.1kgs
 Package: 10pcs/carton




Ductile cast iron sow trough

Product parameters
 Name: Ductile cast iron sow trough
 Material: ductile cast iron
 Size: 430*330*360mm
 Weight: 14.5kgs



Breeding Apparatus


Pig farm plastic slat flooring



Breeding Apparatus

Breeding Apparatus

Pig farm cast iron slat flooring



Breeding Apparatus

Single/double sides stainless trough

Product parameters

Name: Single/double sides stainless trough

Material: 201/304 stainless steel

Size:

Fattening trough

1, 1.5m(L) double sides with 10 holes/ 1.5m(L) single side with 5 holes

2, 1.2m(L) double side with 8 holes/ 1.2m(L) single side with 4 holes

Weaning trough

1, 1m(L) double side with 12 holes/ 1m(L) single side with 6 holes

2, 0.85m(L) double side with 10 holes/ 0.85m(L) single side with 5 holes

Product Feature:

- 1, Piglet can forage by themselves, avoiding waste.
- 2, The feed flow could be adjusted according to needed.
- 3, Feeder segmentation in order to avoid piglets snatch food.
- 4, International standard steel ensure the quality.
- 5, With sewage outfall, easy for cleaning.



Dry-wet automatic feeder

Product parameters

Name: Dry-wet automatic feeder

Material: plastic feed cylinder, stainless steel base

Size: 80L, 150L

Product Feature:

1. Smooth and nice appearance, reliable quality, meticulous processing, sturdy and durable, good stability, saving time and economize labour, speeding up slaughter, no waste of feed, and reducing gastrointestinal diseases.
2. It is an automatic feeder. It has all day feeding function, pig can grow evenly, and the feed can be saved also. One person can feed 400 pigs, it can save 5-15kgs feed per day, and 20-30 days can be ahead for slaughter. It is 5-10 times efficiency compared with the ground feeding. It is the ideal renewal and replacement product of the modern pig farm.
3. Pig could eat and drink together.



Smart porridge fodder feeder

Product parameters

Name: Smart porridge fodder feeder

Standby power: less than 5W

Operating power: less than 60W

Product size: 600*500*1150mm(length*width* height)

Volume: 65L

Crib size: 490*90mm (diameter*height)

Weight: about 12.5kgs/pc

Environment Control



There are 167 items

such as infrared heating light bulb, lampshade, air-heater, electric hot plate and so on

Environmental Control



Farm roasted infrared bulb

Product parameters
Name: Roasted infrared bulb
Material: Anti-explosion glass + aluminum alloy
Size: 13*17.5cm (diameter*height)
Weight: 166g
Package: 40pcs/box
Power: 100W/175W



Farm pitted heating lamp bulb

Product parameters
Name: Pitted infrared heating bulb
Material: Anti-explosion glass + aluminum alloy
Size: 12.4*14.5cm(diameter*height)
Specification : Pitted
Package: 50pcs/box
Power: 100W/150W/175W/200W/250W



Farm infrared PAR bulb

Product parameters
Name: Infrared PAR bulb
Color: Warm red
Power: 175W
Bulb holder: E27
Weight: 365g/pc
Package: 20pcs/box



Farm lampshade net

Product parameters
Name: Farm lampshade net
Material: Steel wire with copper plated
Weight: 75g
Size: 21(H)*15.5(Dia)*4.5(holder dia)cm
Adapters: Pitted infrared heating bulb, Ceramic lamp holder



Ceramic lamp holder

Product parameters
 Name: Ceramic lamp holder
 Material: Aluminum shell, 100 percent ceramic connctor
 Size: 9*6cm/10.5*8cm
 Specification: E27 small size / E27 larger size



Ceramic lampholder with traditional switch

Product parameters
 Name: Ceramic lampholder with traditional switch
 Material: cast aluminum shell, high temperature electrostatic spraying, ceramic connector, national standard wire
 Specification: E27 S size lampholder, 1.7m wire
 Style: traditional swtich
 Weight: 180g/pc
 Package: 150pcs/box



Ceramic lampholder with non-polar switch

Product parameters
 Name: Ceramic lampholder with traditional switch
 Material: cast aluminum shell, high temperature electrostatic spraying, ceramic connector, national standard wire
 Specification: E27 S size lampholder, 1.7m wire
 Style: non-polar switch
 Weight: 195g/pc
 Package: 135pcs/box



Farm golden color lampshade

Product parameters
 Material: Aluminum shell and ceramic connctor
 Color: Golden
 Size: 21.5cm diameter
 Weight: 610g/pc
 Package: 20pcs/box
 Size: 45.5*45.5*25cm



Farm 16inch diamond surface lampshade

Product parameters
 Material: 304 stainless steel
 Specification: 16inch diamand surface
 Size : 38.2*18.5 (diameter*height)
 Application : E27 larger size



Farm 12inch stainless steel lampshade

Product parameter
 Name: 12inch stainless steel lampshade
 Material: 304 stainless steel
 Specification:12 inch glaze
 Size: 30.3*3.5cm(diameter*height)
 Application:E27 small size
 Advantage: Water-proof, anti-collision



Farm silver color lampshade

Product parameters
 Material: Aluminum shell, ceramic connector
 Specification: Large/medium/small
 Size: 10inches (lampshade diameter 26cm)
 8.5inches (lampshade diameter 22cm)
 8.3inches (lampshade diameter 21cm)
 Weight: 163g / 130g / 98g



Interheat lampshade

Product parameters
 Name: Interheat lampshade
 Material: aluminium lampshade, ceramic lamp holder
 Size: about 30cm/21.5cm (diameter)
 Package: 10sets/carton
 Speification: Size L / size S

Cleaning & Disinfection



There are 71 items

such as high pressure washer, sterilizer, ventilation and so on

Cleaning & Disinfection



Disinfectant maker machine

Product parameter
Power: 200W
Output: 4-5kgs/h
Size: 35*35*70cm



Farm washing machine

Product parameters
Output: 220L/min
Pressure: 6Mpa
Electricity: 220V/50HZ
Power: 1.6kw
Weight: 23kgs
Size: 63*30*41cm



High pressure spray sterilizer

Product parameters
Name: High pressure spray sterilizer
Model: electric power/ petrol power
Size: 138*95*55
Power: 2.2KW/220V
Motor Speed: 1400r/min
Pressure: 1.5-3.5Mpa
Volume: 160L
Rated flow: 29-34L/min



Ultrasonic room atomization disinfection system

Product parameters
 Atomization output: 12L/H 6L/H
 Voltage: 220V 50HZ
 Working power: 900W/500W
 Standby power: 8W/4W
 Working temperature: 3°C-65°C
 Specification: 10 sprayer / 5 sprayer
 10 Intelligent anti-freeze sprayer/
 5 Intelligent anti-freeze sprayer



Details:

start to work automatically when staff enter disinfection room. Disinfection fluid will be atomized to ultrafine particle and spraying, then the room is full filled with disinfection air. But when get out of the room, the system will not get triggered. So, no need make two channels for disinfection.

Attention:

10 sprayer and 5 sprayer are for the room temperature higher than 0°C
 10 Intelligent anti-freeze sprayer/ 5 Intelligent anti-freeze sprayer for room temperature below 0°C.

Ultrasonic vehicle disinfection

Product parameters
 Name: Ultrasonic vehicle disinfection
 Specification : Two sprayer / pole
 Atomization output : 30-50L/H
 Voltage : 220V 50HZ
 Power : 3KW
 Working temperature : 3°C-65°C



- ★ Standard configuration: Main engine 1set, 3m vertical pole 2pcs , sensors with waterproof and anti-interference 2sets, 80L/min water processing system 1set , sprayer rod for cleaning bottom of the car 1set, automatic emptying system 1set, warning post 4pcs, 1m rubber speed bumps 4pcs, 3m metal bump.
- ★ Brand of pump is Taiwan, max spray pressure can up to 40-90kgs, flow with 30-50litres.
- ★ Computer controlled can be operated remotely. Time of disinfection can be adjusted. Single and double disinfection are available.
- ★ Heat automatically and alarm get to work when water leakage.
- ★ Stainless steel anti-corrosion pole, has 10 sprayers with 70 degree.

Cleaning & Disinfection



17 series electric high pressure cleaning machine

Product parameters
Name: 17 series electric high pressure cleaning machine
Model: LT-17MB
Motor power: 2.2KW
Voltage: 220V
Motor Speed: 2900rpm
Pressure: 90bar
Flow: 12.8L/min
Weight: 36.5kgs



19 series electric high pressure cleaning machine

Product parameters
Name: 19 series electric high pressure cleaning machine
Model: LT-19MA/LT-19MB/LT-19MC/LT-19MD
Motor power: 3KW/2.2KW/4KW/4KW
Voltage: 380V/220V/380V/220V
Motor Speed: 1450rpm
Pressure: 120bar/100bar/170bar/90bar
Flow: 14L/min, 12.2L/min, 14L/min, 24L/min
Weight: 54kgs/52kgs/59.5kgs/59.5kgs



20 series electric high pressure cleaning machine

Product parameters
Name: 20 series electric high pressure cleaning machine
Model: LT-20MC/LT-20MD
Motor power: 7.5KW
Voltage: 380V
Motor Speed: 1450rpm
Pressure: 248bar/206bar
Flow: 16L/min, 19.8L/min
Weight: 87.5kgs



Detecting Instrument



There are 87 items

such as veterinary B mode ultrasound, ultrasound back-fat measure tester, sperm density detector, ammonia gas detector, wind detector and so on

Detecting Instrument

B mode pig pregnancy ultrasound scanner

Product parameters

Name: B mode pig pregnancy ultrasound scanner

Size: 15*12.5*4.5cm

Weight: 800g (exclude probe)

Size: 5.6 inch TFT-LCD screen

Color: Pseudo color

Battery: 2600mAh

Package: 47.5*28.5*10.5cm

Weight: 3.3kgs/box (with aluminum alloy case)



B mode pig pregnancy ultrasound scanner

Product parameters

Size: 15*12.5*4.5cm

Size: 5.6 inch LCD screen

Package: 40*26.5*14.5cm



Pig backfat detector

Product parameters

Accuracy: 4-35mm±1mm


Size: 180*73*33mm

Net weight: 307g

Power: 0.05W



Project Case



Project Case



Project Case



Project Case

